



UNIVERSITI TEKNIKAL MALAYSIA MELAKA

**DESIGN OF AUTOMATIC CAT FEEDER WITH CAT'S
WEIGHT DETECTION**

This report is submitted in accordance with the requirement of the Universiti Teknikal Malaysia Melaka (UTeM) for the Bachelor Of Computer Engineering Technology (Computer Systems) With Honours.

by

HANISAH BINTI ABDUL RANI

B071510532

961118-13-6134

FACULTY OF ELECTRICAL AND ELECTRONIC ENGINEERING
TECHNOLOGY

2018

BORANG PENGESAHAN STATUS LAPORAN PROJEK SARJANA MUDA

Tajuk: DESIGN OF AUTOMATIC CAT FEEDER WITH CAT'S WEIGHT
DETECTION

Sesi Pengajian: 2019

Saya **HANISAH BINTI ABDUL RANI** mengaku membenarkan Laporan PSM ini disimpan di Perpustakaan Universiti Teknikal Malaysia Melaka (UTeM) dengan syarat-syarat kegunaan seperti berikut:

1. Laporan PSM adalah hak milik Universiti Teknikal Malaysia Melaka dan penulis.
2. Perpustakaan Universiti Teknikal Malaysia Melaka dibenarkan membuat salinan untuk tujuan pengajian sahaja dengan izin penulis.
3. Perpustakaan dibenarkan membuat salinan laporan PSM ini sebagai bahan pertukaran antara institusi pengajian tinggi.
4. ****Sila tandakan (X)**

SULIT*

Mengandungi maklumat yang berdarjah keselamatan atau kepentingan Malaysia sebagaimana yang termaktub dalam

AKTA RAHSIA RASMI 1972.

TERHAD*

Mengandungi maklumat TERHAD yang telah ditentukan oleh organisasi/badan di mana penyelidikan dijalankan.

TIDAK

TERHAD

Yang benar,

Disahkan oleh penyelia:

.....
HANISAH BINTI ABDUL RANI

.....
NIZA BINTI IDRIS

Alamat Tetap:

Cop Rasmi Penyelia

34, Kampung Baru Sebulan Besar

97000, Bintulu,

Sarawak.

Tarikh:

Tarikh:

*Jika Laporan PSM ini SULIT atau TERHAD, sila lampirkan surat daripada pihak berkuasa/organisasi berkenaan dengan menyatakan sekali sebab dan tempoh laporan PSM ini

DECLARATION

I hereby, declared this report entitled DESIGN OF AUTOMATIC CAT FEEDER WITH CAT'S WEIGHT DETECTION is the results of my own research except as cited in references.

Signature:

Author : HANISAH BINTI ABDUL RANI

Date: 19 DECEMBER 2018

APPROVAL

This report is submitted to the Faculty of Mechanical and Manufacturing Engineering Technology of Universiti Teknikal Malaysia Melaka (UTeM) as a partial fulfilment of the requirements for the degree of Bachelor of Mechanical Engineering Technology (Automotive) with Honours. The member of the supervisory is as follow:

Signature:

Supervisor : NIZA BINTI IDRIS

ABSTRAK

Pemberi makanan kucing automatik dengan pengesanan berat kucing adalah sebuah peranti elektronik yang boleh memberi makan kucing secara automatik dengan menggunakan beberapa komponen elektronik seperti Arduino Mega, motor, dan sensor pemberat. Pemberi makanan kucing automatik ini menggabungkan elektronik dan beberapa pengaturcaraan untuk mengawal sistem tersebut. Pemilik kucing yang jarang berada di rumah mendapati bahawa sangat sukar untuk memberi makan kepada kucing mereka kerana ia memerlukan kerja manual untuk memberi makan kucing dengan makanan kucing dan juga air. Dengan menggunakan pemberi makanan kucing automatik, maka setiap pemilik kucing tidak perlu bimbang tentang kucing mereka kerana kucing mereka akan mendapat makanan yang mencukupi walaupun pemiliknya tiada di rumah. Objektif projek ini adalah untuk merekabentuk pemberi makanan kucing automatik yang berdasarkan berat kucing. Sistem ini juga akan mengeluarkan makanan secara automatic sekiranya sensor penimbang berat mengesan berat kucing tersebut. Salah satu objektif yang telah berjaya dicapai ialah sistem ini boleh mengeluarkan makanan kucing dalam jumlah makanan yang tepat berdasarkan berat kucing. Selain itu, prototaip yang sesuai untuk projek ini telah dapat dibangunkan di mana ia dapat mempengaruhi proses mendapatkan output projek yang diinginkan. Oleh itu, sistem ini sangat berguna untuk komuniti seperti pemilik kucing di mana ia dapat membantu dalam menjadikan kehidupan mereka menjadi lebih mudah, dan ia juga dapat mengekalkan kesihatan kucing mereka.

v

ABSTRACT

An automatic cat feeder with cat's weight detection is basically an electronic device that can automatically feed cats by using some electronic components such as Arduino Mega, servo motor and weight sensor. This automatic cat feeder combines both electronics and some programming in order to control the system. The cat owners that are away from home find it difficult to feed their cat as it takes a manual work in order to feed the cats with their kibbles and also water. With the use of this system, every cat owner does not need to worry about their cats as the cats will get sufficient amount of food even though the owner is away from home. This system automatically starts to dispense kibbles when the weight of the cat is detected by the weight sensor. This project have been developed successfully where it complies with the objectives of this projects. One of the objectives that have been reached is where this automatic cat feeder can dispense the kibbles within the right amount of food based on the weight of the cat. Besides, a suitable prototype for this project is able to be developed where it can affect the process of getting desired output of the project. Hence, this system is very useful for communities such as cat owners where it can help in making life easier and also can maintain the health of the cat.

DEDICATION

A very special dedication to my mother, my family, my special friend, supervisor, lecturers and also my friends who have contributes in giving such a wonderful and positive vibes during the completion of this project.

ACKNOWLEDGEMENTS

First of all, I would like to express my deepest gratitude to Allah S.W.T who has given me all the strength throughout these two semesters for me to complete my final year project. Besides, I would also like to express my gratitude to the Faculty of Electrical and Electronics Technology Engineering (FTKEE), Universiti Teknikal Malaysia Melaka (UTeM), especially to my supervisor Mdm Niza binti Idris who have been a very good supervisor that supervised me in accomplishing this final project. I would also thank her for all the help, advices and guidance that she gave throughout the phase of finishing this project. I am also indebted to my mother Sitimah binti Othman, my family, and a million of thanks to them for giving me endless supports and also always keeping me inside their prayer. Besides that, I would also want to thank my special friend, for helping me a lot in accomplishing my project. If would not of his helped, I may not able to finished my project on time. Last but not least, I would like to thank all my friends from 4 BEEC and my housemates whom have been such great and wonderful friends and giving me moral support and also to everyone else who was involved in the completion of this project. I would like to thank them for all the support and encouragement to me which have given me the courage to fulfill my final year project. Thank you.

TABLE OF CONTENTS

	PAGE
TABLE OF CONTENTS	ix
LIST OF TABLES	xiii
LIST OF FIGURES	xiv
LIST OF APPENDICES	xvii
LIST OF SYMBOLS	xviii
LIST OF ABBREVIATIONS	xix
CHAPTER 1 INTRODUCTION	20
1.0 Introduction	20
1.2 Problem Statement	24
1.3 Project Objective	25
1.4 Project Scope	25
CHAPTER 2 LITERATURE REVIEW	27
2.0 Introduction	27
2.1 Pet Feeder System	27
2.2 Previous Development Of Cat Feeder System	28
2.2.1 Programmable Cat Feeder	28
2.2.2 Remote Controlled and GSM Based Automated Pet Feeder	30

2.2.3	Arduino-based Food and Water Dispenser for Pets with GSM Technology Control	33
2.2.4	Automatic Pet Monitoring and Feeding System Using IoT	36
2.2.5	The Development of Automatic Fish Feeder System Using Arduino Uno	39
2.2.6	Development of Automatic Fish Feeder	41
2.2.7	Smart Aquarium	42
2.3	Microcontroller In Pet Feeder System	47
2.3.1	Stepper Motor Control using ARDUINO ATMEGA - 328 Micro Controller	47
2.3.2	Arduino Atmega-328 Microcontroller	49
2.4	SUMMARY	51
CHAPTER 3 METHODOLOGY		52
3.0	Introduction	52
3.1	Hardware Development	52
3.1.1	Microcontroller	52
3.1.2	Load Cell Sensor	54
3.1.3	Hx711 Load Amplifier Module	56
3.1.4	Servo Motor	58
3.2	Software Development	59
3.2.1	Arduino IDE	59

3.3	Project Overview	63
3.3.1	Block Diagram	63
3.3.2	Project Prototype Design	64
3.3.3	Flowchart	65
3.4	Circuit Development	66
3.4.1	Proteus Design Software	66
3.4.2	Circuit Implementation On Breadboard	68
3.5	Expected Result	71
3.6	Summary	71
CHAPTER 4	RESULT AND DISCUSSION	72
4.0	Introduction	72
4.1	Software Part	72
4.2	Hardware Part	75
4.2.1	Analysis Of The Development Of Suitable Prototype	75
4.2.1.1	Using Perspex as the Base of the Board	76
4.2.1.2	Using MDF board as the Base of the Board	77
4.3	Result	81

CHAPTER 5	CONCLUSION	86
5.0	Introduction	86
5.1	Conclusion	86
5.2	Recommendation and Suggestion	87
REFERENCES		89
APPENDIX		95

LIST OF TABLES

TABLE	TITLE	PAGE
Table 2.1:	Comparison of Previous Development of Pet Feeder System	45
Table 3.1:	Technical Specification of Arduino Mega 2560 R3	53
Table 4.1:	The actual weight of cat and the measured weight using Load Cell on Perspex board.	76
Table 4.2:	The comparison between actual weight and measured weight using Load Cell on the MDF board.	79
Table 4.3:	The data of the weight of the cat measured and the weight of kibbles dispensed.	82

LIST OF FIGURES

FIGURE	TITLE	PAGE
Figure 2.1:	Block diagram of Programmable Cat Feeder (Berhan <i>et al.</i> 2015)	28
Figure 2.2:	The circuit of the Remote Controlled and GSM Based Pet Feeder(Singh <i>et al.</i> 2015)	30
Figure 2.3:	Block diagram of Arduino-based Food and Water Dispenser for Pets with GSM Technology Control (Beltran <i>et al.</i> 2015)	34
Figure 2.4:	Block diagram of Automatic Pet Monitoring and Feeding System using IoT (Subaashri <i>et al.</i> 2017)	37
Figure 2.5:	Block diagram of Automatic Fish Feeder System using Arduino Uno	40
Figure 2.6:	Flow diagram of Smart Aquarium system (Kaimal <i>et al.</i> 2017)	43
Figure 2.7:	Block diagram of Stepper Motor controlled using ARDUINO ATMEGA-328 (Ganesh <i>et al.</i> 2015)	48
Figure 2.8:	Arduino ATMEGA-328 microcontroller (Sudhan <i>et al.</i> 2015)	50
Figure 3.1:	Arduino Mega 2560 R3	53
Figure 3.2:	Load cell sensor up to 10kg.	54
Figure 3.3:	Arrow marking on Load sensor up to 10kg (https://www.hackster.io/MOHAN_CHANDALURU/hx711-load-cell-amplifier-interface-with-arduino-fa47f3)	55
Figure 3.4:	Block diagram of weight sensor circuit.	56

Figure 3.5: Load amplifier HX711.	57
Figure 3.7: Tower Pro MG955 servo motor.	58
Figure 3.8: Symbol of Arduino IDE software.	60
Figure 3.9: Coding for servo motor to rotate 180 degrees.	61
Figure 3.10: Coding to rotate motor from 0 degrees to 180 degrees.	62
Figure 3.11: Block diagram of Automatic Cat Feeder with Cat's Weight Detection	63
Figure 3.12: Design of the prototype for Automatic Cat Feeder With Cat's Weight Detection	64
Figure 3.13: Flowchart of the Automatic Cat Feeder with Cat's Weight Detection	65
Figure 3.14: Simulation of servo motor rotating at 180 degrees in Proteus Software	67
Figure 3.15: The circuit for LCD using Arduino that is constructed on a breadboard to test the functionality of the hardware.	68
Figure 3.16: Servo motor connected to Arduino Mega to test the movement of rotation on the motor.	69
Figure 3.17: Circuit of weight sensor that is constructed on breadboard to observe the measurement detected by the 10kg load cell.	70
Figure 4.1: Coding for the amount of kibbles dispensed based on the cat's weight	75
Figure 4.2: The MDF board is used as the base for the weight sensor	76
Figure 4.3: The bar chart graph for the actual weight and the measured weight using Perspex board as base.	77
Figure 4.4: The MDF board is used as the base for the weight sensor	78
Figure 4.5: Weight of a cat is measured on MDF board and the weight is analysed.	79

Figure 4.6: The bar chart graph for the actual weight and the measured weight using MDF board as base.	80
Figure 4.7: The full circuit of this project.	81
Figure 4.8: The bar chart graph for the weight of the cats versus the measured weight using load cell.	82
Figure 4.9: The weight of the kibbles dispensed for cat's weight between 2.0kg to 2.5kg.	83
Figure 4.10: The prototype of this project.	84

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
	Appendix 1 Gantt Charts	95
	Appendix 2 Coding	97
	Appendix 3 Presentation Poster	103

LIST OF SYMBOLS

g	-	Gram
kg	-	Kilogram

LIST OF ABBREVIATIONS

GSM	Global System for Mobile
IoT	Internet of Things
GPS	Global Positioning System

CHAPTER 1

INTRODUCTION

1.0 Introduction

Pet owning has been increasing steadily around the globe. The United States, which has the most population in the world, estimated to have 78 million dogs and 85.8 million cats being owned. According to (Litchfield *et al.* 2017), animals that have been companion for human for almost thousands of years and also popular as pets in Australia, New Zealand, Europe, North America and elsewhere are basically came from the domestic cats. In Malaysia, statistics have shown that the most common domestic pets in the household are cats and dogs. Some household also kept birds, rabbit or even mice as pets. The numbers of households in Malaysia that have pets have been increasing throughout the years. There are numerous stray cats and dogs that have been adopted into the household.

It is undeniable that every pet owner should have a proper management of their pets. Every pet owner has their own responsibilities in taking care of their pet which includes giving a safe environment shelters, feeding, healthcare and also companionship. The cats can be a perfect pet in a household. Cats are undeniable can easily be adapted to the surrounding especially the humans. Besides dogs, cats are also one of the animals that are devoted to their owners. They can communicate with their owners as well which gives a companion to the cat owners. Cats as a companion literally gave many benefits, especially to the cat owners. Studies have also shown that the presence of pets has been associated with the reduction of stress and blood pressure

and therefore may reduce the risk of cardiovascular diseases (Qureshi et al. 2009). Besides, (Edwards et al. 2018) made a study researchers that demonstrated attachments that formed by cats to their owners are similar to the way of infants get attached to their parents. On the demonstration study that has been made, the kittens in the study were more relaxed and desired to explore an unfamiliar environment when the owners are with them in the area.

Thus, choosing cat as pet is literally the most perfect decision to be made. Before getting a pet, either by adopting or buying cat, every cat owner should take consideration especially the proper feeding management. Proper feeding management includes in taking a serious view on cat nutritional diet. Proper diet for cat leads to a healthy cat and can also able to prevent cats from getting diseases. Feeding a cat can be easier with the help of technology. Nowadays, it is an undeniable fact that of human activity are mostly being replaced by some method involving technology. Thus, this project focuses on designing a more reliable cat feeder that can help in managing cat feeding. This automatic cat feeder helps in solving the problems that are related to the existing pet systems that have been developed.

1.1 Project Background

Pets are defined as the animals that are not dangerous or known as tame animal which is kept by an owner as a companion in their home. There are many types of tame and domestic animals that can be kept as pet such as dogs, cats, rabbits, bird and many more. Being a pet owner means having a responsible to commit to the pets and responsible for taking care of the pet for its entire life. Pets are usually chosen by a pet

owner that is suitable for their lifestyle since owning a pet is basically a long-term commitment to be done. Some pets, such as dogs or cats need to have more attention because they are usually pets that are being let to freely move inside the house. The dogs and cats can be trained such as littering inside the litter box, feeding time, grooming or bathing. There are also pets that can literally make noise in the house such as birds. Besides, there are also some pets that are meant to be placed inside a cage only. Thus, choosing the most suitable pets based on lifestyle and surrounding is very important for every pet owner.

In Malaysia, at least one pet is owned in every household nowadays. The number of households having pets have been increasing these days, includes those who lived in apartments or condominium. Cats are one of the pets that mostly owned by Malaysian. The lifespan of cats or dogs are nearly 18 years. Thus, having a cat or dog as pet is a very tough and long term commitment. Feeding a cat has been one of the regular routines that every pet owner do. Keeping a healthy lifestyle for the cat is important as it may affect the cat health and prevent them from getting diseases. Besides, unhealthy cat may also affect the owner health as some diseases may cause by viruses that can attack human.

Various pet feeder machines have been developed previously which helps some pet owner to feed their pet regularly without feeding their pets manually. There are various pet feeder systems that have different features implemented in it. Some pet feeder system used a timer to feed the pet regular. Some pet feeder system used sensor such as IR sensor which detect the motion of pet. The pet feeder will works if it detects any presence of pet near the sensor, thus it will dispense the food to the pet. All these developed systems have been used in real life which definitely gave benefits to every

pet owner. The pet system that have been developed by (Berhan et al. 2015) implements a feature inside the system where the cat foods are dispensed to the cat within a programmable time. While, another pet feeder that have been developed by (Singh et al. 2015) implements a new advance feature that use a GSM module as the remote controlled for the pet feeder machine. Within few years, there are more new systems that were built by innovating and improvise the previous developed systems.

Thus, several related major and also minor problems have been identified based on all the previously researched of the developed pet feeder systems. These related problems are also studied in order to improve on the previous developments. Some major problem regarding the pet feeder system is that most of the system dispensed the food to the pet without implementing the right nutrition and dietary for pet. Pet especially cats, should be feed regularly within its dietary and right nutrition. In this project, this feeder system is focused on cats and the nutritional information regarding cat's diet is studied.

Besides, most of the pet systems invented and sold in market nowadays are mostly using timer which literally it not very suitable for cats. Besides, the portion of the kibbles to be fed is customizable by owners. Therefore, not all cats are suitable with the same amount of kibbles fed. Cats should be fed with nutrition food with suitable range of food based on its weight.