

THE EFFECT OF DIFFERENT DRYING METHODS ON THE
QUALITY CHARACTERISTICS OF *KAPPAPHYCUS*
ALVAREZII SP. SEAWEED POWDER



UNIVERSITI TEKNIKAL MALAYSIA MELAKA

2021



**THE EFFECT OF DIFFERENT DRYING METHODS ON THE
QUALITY CHARACTERISTICS OF *KAPPAPHYCUS ALVAREZII SP.*
SEAWEED POWDER**

Submitted in accordance with the requirement of the Universiti Teknikal Malaysia Melaka
(UTeM) for Bachelor Degree of Manufacturing Engineering (Hons.)



MUHAMMAD SYAZWAN BIN SULAIMAN

B051710127

961224-04-5439

FACULTY OF MANUFACTURING ENGINEERING

2021

BORANG PENGESAHAN STATUS LAPORAN PROJEK SARJANA MUDA

Tajuk: **THE EFFECT OF DIFFERENT DRYING METHODS ON THE QUALITY CHARACTERISTICS OF *KAPPAPHYCUS ALVAREZII SP.* SEAWEED POWDER**

Sesi Pengajian: **2021/2021 Semester 2**

Saya **MUHAMMAD SYAZWAN BIN SULAIMAN (961224-04-5439)**

mengaku membenarkan Laporan Projek Sarjana Muda (PSM) ini disimpan di Perpustakaan Universiti Teknikal Malaysia Melaka (UTeM) dengan syarat-syarat kegunaan seperti berikut:

1. Laporan PSM adalah hak milik Universiti Teknikal Malaysia Melaka dan penulis.
2. Perpustakaan Universiti Teknikal Malaysia Melaka dibenarkan membuat salinan untuk tujuan pengajian sahaja dengan izin penulis.
3. Perpustakaan dibenarkan membuat salinan laporan PSM ini sebagai bahan pertukaran antara institusi pengajian tinggi.

SULIT (Mengandungi maklumat yang berdarjah keselamatan atau kepentingan Malaysia sebagaimana yang termaktub dalam AKTA RAHSIA RASMI 1972)

TERHAD (Mengandungi maklumat TERHAD yang telah ditentukan oleh organisasi/ badan di mana penyelidikan dijalankan)

TIDAK TERHAD

Disahkan oleh:



Alamat Tetap:
No 740-1, Batu 9 1/2 Tangga Batu,
76400 Tanjung Kling,
Melaka.

Cop Rasmi: **TS. DR. ROSE FARAHIYAN BINTI MUNAWAR**
SENIOR LECTURER
FACULTY OF MANUFACTURING ENGINEERING
UNIVERSITI TEKNIKAL MALAYSIA MELAKA

Tarikh: 15 September 2021

Tarikh: 15 September 2021

*Jika Laporan PSM ini SULIT atau TERHAD, sila lampirkan surat daripada pihak berkuasa/organisasi berkenaan dengan menyatakan sekali sebab dan tempoh laporan PSM ini perlu dikelaskan sebagai SULIT atau TERHAD.

DECLARATION

I hereby, declared this report entitled “The Effect of Different Drying Methods on The Quality Characteristics of *Kappaphycus alvarezii* sp. Seaweed Powder” is the results of my own research except as cited in references.

Signature

:

Author's Name

: MUHAMMAD SYAZWAN BIN SULAIMAN

Date

: 15 SEPTEMBER 2021



APPROVAL

This report is submitted to the Faculty of Manufacturing Engineering of Universiti Teknikal Malaysia Melaka as a partial fulfilment of the requirement for Degree of Manufacturing Engineering (Hons). The member of the supervisory committee is as follow:



.....

(Supervisor)

TS. DR. ROSE FARAHYAN BINTI MUNAWAR
SENIOR LECTURER
FACULTY OF MANUFACTURING ENGINEERING
UNIVERSITI TEKNIKAL MALAYSIA MELAKA

اونيورسيتي تيكنيكل مليسيا ملاك

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



.....

(Co-Supervisor)

DR. JEEFFERIE BIN ABD RAZAK
Senior Lecturer
Faculty Of Manufacturing Engineering
Universiti Teknikal Malaysia Melaka

ABSTRAK

Kaedah pengeringan memainkan peranan penting dalam mengekalkan nutrien semula jadi dalam rumput laut. Penyelidikan ini bertujuan untuk menentukan jangka masa optimum untuk kaedah pengeringan ketuhar berdasarkan kualiti *Kappaphycus alvarezii sp.* serbuk rumput laut. Untuk memberikan pengeringan yang baik, ia tidak boleh menghilangkan kandungan mineral dalam *Kappaphycus alvarezii sp.* selepas pengeringan rawatan kerana mineral bertindak menjaga kualiti makanan. Walau bagaimanapun, kajian sebelumnya menunjukkan bahawa kandungan mineral dalam rumput laut banyak hilang setelah rawatan pengeringan melalui kaedah pengeringan matahari. Kaedah pengeringan matahari menyebabkan tempoh pengeringan yang lama kerana suhu yang tidak menentu. Oleh itu, pengeringan ketuhar boleh menjadi penyelesaian kerana dapat mengurangkan jangka masa pengeringan kerana melibatkan suhu tertentu, tetap dan konsisten. Oleh kerana itu, ia dapat mengelakkan pencemaran luar yang tidak diinginkan yang dapat menghilangkan komponen kimia penting tertentu. Walaupun begitu hingga kini, kajian yang terhad dilakukan terhadap rumput laut *Kappaphycus alvarezii sp.* melalui kaedah pengeringan ketuhar kerana banyak penyelidik memfokuskan pada kaedah konvensional, iaitu kaedah pengeringan matahari. Untuk memperoleh dan menganalisis kandungan kelembapan dan mineral untuk kedua kaedah pengeringan berdasarkan parameter yang telah ditetapkan, analisis kandungan kelembapan dan analisis mineral telah dipilih. Tempoh pengeringan optimum untuk kaedah pengeringan ketuhar adalah 10 jam kerana kandungan lembapan yang lebih rendah dan nilai kandungan mineral yang lebih tinggi. Selama 10 jam pengeringan ketuhar, rumput laut dapat menjaga dan mengawal kehilangan kandungan mineral serta menurunkan kadar kelembapan untuk mengekalkan kualiti rumput laut *Kappaphycus alvarezii sp.* setelah melalui rawatan pengeringan. Oleh itu, pengguna akan mendapat faedah dari produk berasaskan rumput laut ini sekiranya kualiti rumput laut dapat dikekalkan kerana nilai pemakanan tinggi rumput laut menyumbang kepada nutrien manusia seperti vitamin, mineral dan semua asid amino penting.

ABSTRACT

Drying methods play a significant role in preserving the natural nutrients found in seaweed. This research aims to determine the optimum duration for oven-drying method based on the quality characteristics of *Kappaphycus alvarezii sp.* seaweed powder. In order to provide excellent drying behaviour, it should not eliminate the mineral content in *Kappaphycus alvarezii sp.* after drying treatment as minerals acts in maintaining the quality of the food. However, the previous studies show that the mineral contents in seaweed are heavily lost after the drying treatment by the conventional drying method, i.e., direct sun-drying method. Sun-drying method causes a long period of drying duration due to unpredictable and uncertain temperatures. Therefore, oven-drying may offer a solution as it can reduce the duration of drying since it utilizes a specific temperature, fixed and consistent. Moreover, it can avoid unwanted outside contamination which could possibly eliminate certain important chemical components. Nevertheless to date, there is a limited number of studies that have been done on the seaweed *Kappaphycus alvarezii sp.* using oven-drying method since many researchers still focusing on the conventional method, which is the sun-drying method. In order to obtain and analyze the moisture and mineral contents for both drying methods based on the parameter that has been set, the tools such as moisture content analysis and mineral analysis have been selected. The optimum drying duration for oven-drying method is 10 hours as it provides low moisture content and high mineral content values. At 10 hours of oven-drying, *Kappaphycus alvarezii sp.* seaweed is able to keep and control the loss of the mineral content while lower the moisture content to retain the quality of *Kappaphycus alvarezii sp.* seaweed after going through the drying treatment. Thus, consumers will get benefits from this seaweed-based products if the quality of seaweed can be retained as the high nutritional value of *Kappaphycus alvarezii sp.* contributes to human nutrients such as vitamins, minerals and all the essential amino acids.

DEDICATION

Only

my beloved father, Sulaiman bin Bachik

my appreciated mother, Nina Kurniawati binti A. Wahab

my sister, Nur Hasanah binti Sulaiman

my kindhearted supervisor, Ts. Dr. Rose Farahiyani binti Munawar

my friends

for giving me moral support, money, cooperation, encouragement and also understandings

Thank You So Much & Love You All Forever



ACKNOWLEDGEMENT

In the name of Allah, the most generous, the most merciful, with the highest praise to Allah, that I have succeeded in completing this final year project without difficulties.

First of all, I would like to thank Ts. Dr. Rose Farahiyah binti Munawar for her priceless supervision, assistance and advice. She gave me complete freedom to decide and work on issues. In addition, she was also a great source of suggestions, useful input and motivation during the writing and presentation of the project. My gratitude also goes to Ts. Dr. Jeefferie bin Abd Razak and Dr. Norazlina binti Mohamad Yatim for her involvement and guidance in order to complete this project.

In addition, I would also like to acknowledge with great appreciation all my friends, especially Nur Atirah Asna binti Mohamad Raus and Muhammad Faiq bin Yusof, who have been supporting me during this final year project. Mostly through discussion with each other, I can complete this report in the standard format. My reporting skills have been reinforced by their reviews and suggestions on my work.

I would also like to express my gratitude to all technicians in the Fakulti Kejuruteraan Pembuatan (FKP) who have helped me directly or indirectly to complete my PSM project successfully. Finally, my thanks and appreciation to the Universiti Teknikal Malaysia Melaka (UTeM) for the opportunity to implement the final year project, which makes my university experience more wonderful.

TABLE OF CONTENTS

Abstrak.....	i
Abstract.....	ii
Dedication.....	iii
Acknowledgement.....	iv
Table of Contents.....	v
List of Tables.....	viii
List of Figures.....	ix
List of Abbreviations.....	xi
List of Symbols.....	xii

CHAPTER 1: INTRODUCTION

1.1 Background of Study.....	1
1.2 Problem Statement.....	3
1.3 Objectives.....	5
1.4 Research Scopes.....	5
1.5 Significant of Research.....	6

CHAPTER 2: LITERATURE REVIEW

2.1 Seaweed.....	8
2.1.1 Red Algae Seaweed (Rhodophyta).....	11
2.1.2 <i>Kappaphycus alvarezii</i> sp. Seaweed.....	11
2.1.3 Properties and Composition of <i>Kappaphycus alvarezii</i> sp. Seaweed.....	12
2.1.4 Benefits of <i>Kappaphycus alvarezii</i> sp. Seaweed.....	13
2.1.5 Applications of <i>Kappaphycus alvarezii</i> sp. Seaweed.....	14
2.1.6 Summary of Literature Review of Seaweed.....	16
2.2 Drying Method.....	18
2.2.1 Sun-Drying Method.....	18
2.2.2 Oven-Drying Method.....	19
2.2.3 Comparison between Sun-Drying and Oven-Drying Method.....	20

2.2.4 Summary of Literature Review of Drying Method.....	21
2.3 Characterization of <i>Kappaphycus alvarezii</i> sp. Seaweed.....	22
2.3.1 Moisture Content.....	22
2.3.1.1 Classification of Moisture Content Measurement Methods.....	24
2.3.2 Mineral Analysis.....	30
2.3.3 Scanning Electron Microscopy (SEM) Analysis.....	33
2.3.4 Summary of Literature Review on Characterization and Analysis.....	35

CHAPTER 3: METHODOLOGY

3.1 Introduction.....	36
3.2 Experimental Work Regarding Objective 1.....	39
3.2.1 Experimental Materials.....	39
3.2.1.1 Raw Materials.....	39
3.2.1.2 Chemical and Other Substances.....	39
3.2.1.3 Experimental Equipments.....	40
3.2.2 Experimental Methods.....	41
3.2.2.1 Sample Preparation.....	41
3.2.2.2 Soaking Process.....	41
3.2.2.3 Cutting Process.....	42
3.2.2.4 Drying Process.....	42
3.2.2.5 Grinding Process.....	42
3.2.3 Design of Parameter.....	42
3.3 Experimental Work Regarding Objective 2.....	44
3.3.1 Moisture Content Analysis.....	44
3.3.2 Mineral Analysis.....	45
3.4 Experimental Work Regarding Objective 3.....	46
3.4.1 Scanning Electron Microscopy (SEM) Analysis.....	46

CHAPTER 4: RESULTS AND DISCUSSION

4.1 Drying the <i>Kappaphycus alvarezii</i> sp. Seaweed.....	47
4.2 Moisture Content Analysis.....	48
4.3 Mineral Analysis.....	51
4.4 Scanning Electron Microscopy (SEM) Analysis.....	53

CHAPTER 5: CONCLUSION AND RECOMMENDATION

5.1 Conclusion.....	57
5.2 Recommendation.....	58
5.3 Sustainable Design and Development.....	58
5.4 Complexity.....	59
5.5 Life Long Learning and Basic Entrepreneurship.....	59

REFERENCES.....	60
-----------------	----

APPENDICES

A Soaking process of seaweed.....	66
B Moisture content analysis of seaweed powder.....	66
C Sun-drying process.....	67



LIST OF TABLES

Table 2.1	Classification of seaweed.....	9
Table 2.2	Chemical composition of <i>Kappaphycus alvarezii sp.</i> seaweed.....	13
Table 2.3	Summary of literature review of seaweed.....	16
Table 2.4	Comparison between sun-drying and oven-drying methods.....	21
Table 2.5	Summary of literature review of drying method.....	22
Table 2.6	Health benefits of minerals.....	31
Table 2.7	Methods of mineral analysis.....	32
Table 3.1	Design of parameter.....	43
Table 3.2	The operational conditions of the ICP-OES machine.....	45
Table 4.1	Drying methods and duration.....	48
Table 4.2	Moisture content of raw <i>Kappaphycus alvarezii sp.</i> seaweed.....	49
Table 4.3	Moisture content of <i>Kappaphycus alvarezii sp.</i> seaweed.....	50
Table 4.4	Mineral content of raw <i>Kappaphycus alvarezii sp.</i> seaweed.....	51
Table 4.5	Mineral content for oven-dried <i>Kappaphycus alvarezii sp.</i> seaweed.....	51

UNIVERSITI TEKNIKAL MALAYSIA MELAKA

LIST OF FIGURES

Figure 1.1	The summarization of problem statement and research gap.....	4
Figure 1.2	The mapping matrix of the scopes and objectives.....	6
Figure 2.1	Red algae species (Rhodophyta).....	10
Figure 2.2	Brown algae species (Phaeophyta).....	10
Figure 2.3	Green algae species (Chlorophyta).....	10
Figure 2.4	<i>Kappaphycus alvarezii</i> sp. seaweed.....	11
Figure 2.5	Benefits of <i>Kappaphycus alvarezii</i> sp. seaweed.....	14
Figure 2.6	Applications of <i>Kappaphycus alvarezii</i> sp. seaweed.....	15
Figure 2.7	The drawbacks of using sun-drying method.....	19
Figure 2.8	The advantages of using oven-drying method.....	20
Figure 2.9	Moisture movement during drying process.....	24
Figure 2.10	Direct methods.....	26
Figure 2.11	Indirect methods.....	30
Figure 2.12	SEM images of dried particles of <i>Tagus</i> algae.....	34
Figure 3.1	The flowchart of experimental study.....	37
Figure 3.2	Details on experimental works in Objective 1.....	38
Figure 3.3	Details on experimental works in Objective 2.....	38
Figure 3.4	Details on experimental works in Objective 3.....	38
Figure 3.5	Hot plate stirrer.....	40
Figure 3.6	Lab glassware.....	40
Figure 3.7	Mini pulverizer machine seaweed powder grinder.....	40
Figure 3.8	Drying oven machine.....	40
Figure 3.9	Illustration of preparation of seaweed powder.....	43
Figure 3.10	Moisture content analyzer.....	44
Figure 3.11	Scanning Electron Microscope.....	46

Figure 4.1	Moisture content of <i>Kappaphycus alvarezii sp.</i> seaweed powder.....	50
Figure 4.2	Mineral content for 70°C drying temperature.....	52
Figure 4.3	Postulated mineral content for 60°C	53
Figure 4.4	SEM micrograph of sample 1.....	54
Figure 4.5	SEM micrograph of sample 2.....	54
Figure 4.6	SEM micrograph of sample 3.....	55
Figure 4.7	SEM micrograph of sample 4.....	55




LIST OF ABBREVIATIONS

SEM	-	Scanning Electron Microscopy
ICP-AES	-	Inductively Coupled Plasma-Atomic Emission Spectrometry
EDX	-	Energy Dispersive X-Ray



LIST OF SYMBOLS

%	-	Percent
wt%	-	Weight Percent
°C	-	Degree Celsius
kg	-	Kilogram
mg/g DW	-	Milligram per gram of dry weight
mg mL ⁻¹	-	Milligram per milliliter
nm	-	Nanometer
µm	-	Micrometer
cm	-	Centimeter
min	-	Minute
g	-	Gram
ml	-	Milliliter
mg/ml	-	Milligram per milliliter
kV	-	Kilovolt
Ca	-	Calcium
Mg	-	Magnesium



CHAPTER 1

INTRODUCTION

1.0 Introduction

This chapter describes the background of the study, problem statement, objectives, research scopes and the significance of this research. The *Kappaphycus alvarezii sp.* seaweed was used throughout the study as a representative of the investigated seaweed species, as demanded by the respective industry (Saanen Sdn. Bhd.).

1.1 Background of Study

Seaweed or marine algae are a group of organisms that either lives in ocean or swamps waters. Similar to the land plants, seaweed contains photosynthesis pigmentation and photosynthesizes and produces food with the aid of sunlight and nutrients provided by the ocean water. Seaweeds are discovered between high to low tide in the coastal area and up to a level in the sub-tidal region whereby only 0.01% photosynthetic light is reachable. In order to create different circumstances, plant pigments, visibility, light, temperature, depth, tides and shore behaviours merge to specify the classification and variation of seaweed. Seaweed is essentially divided into three main categories, which including green (Chlorophyta), brown (Phaeophyta) and red (Rhodophyta) (Brownlee *et al.*, 2012). Seaweed is low in calories, high in fibre and minerals, and contain a substantial quantity of protein, vitamins and essential minerals. In addition, seaweeds are able to generate important oxidation immune defences. Seaweed is indeed an essential source of natural antioxidants which can protect the human body toward free radicals (Mohamed *et al.*, 2018).

In Malaysia, the most significant and widely cultivated seaweed species is *Kappaphycus alvarezii* sp. *Kappaphycus alvarezii* sp. is a red seaweed species (Rhodophyta) and can be found in reddish, yellowish, green and brown in colour based on the presence of the water-soluble pigments, the blue phycocyanin and red phycoerythrin pigments. (Rudke *et al.*, 2020). The red *Kappaphycus alvarezii* sp. seaweed is abundantly found in Semporna, Sabah. Resulting in the high market value of *Kappaphycus alvarezii* sp., the seaweed variation from Sabah was relocated and cultivated in Langkawi and Kedah. The red *Kappaphycus alvarezii* sp. seaweed, commercially recognized as *Eucheuma cottonii* is an economically valuable tropical Rhodophyta that is highly sought after for its polysaccharide cell wall and carrageenan properties, making it the most important carrageenophyte for industrial purposes in the world (Ilias *et al.*, 2017). Over the last four decades, *Kappaphycus alvarezii* has become the most crucial element of kappacarrageenan, a vital source in different applications and products. Carrageenan is most often used in the food industry due to its functional and physical characteristics including such thickening, stabilizing, gelling, water-binding and texturing a range of dairy and instant items like ice cream, frozen desserts, chocolate, milk, yoghurt, cheese, pie, puddings and sauces.

The drying process is one of the most important post-harvest treatment of seaweed. The main priority of the drying process is to conserve and increase the lifespan of the seaweed. However, the drying process can also adversely affect seaweed based on certain factors such as drying temperature, drying conditions and drying period. It may lead to unwanted changes in the colour, quality, nutritional, phytochemical content and aroma of seaweed (Badmus *et al.*, 2019). The quality of the seaweed, such as mineral content value will deteriorate after undergoing a drying process. Besides, the conventional drying method, which is the sun-drying process, offers a more negative impact on the seaweed as it not only reduces the quality of the seaweed, it also caused the seaweed exposed to dirt and dust contamination, insect infestation, uncertain drying temperature (uncontrollable weather), direct exposure overheating and long drying duration (Maisnam *et al.*, 2017). After reading several previous research paper, the perfect and suitable alternative method to replace the conventional drying method is by conducting the oven-drying method. Besides counter all the problem facing by the conventional method, the oven-drying method also is the easiest drying method (Babu *et al.*, 2018).

Hence, the aim of this research study is to plan the preparation and characterization of *Kappaphycus alvarezii sp.* seaweed powder by using the different drying method, which is the sun-drying and oven-drying method based on the different drying duration. Due to the shortcomings of the previous study, the effect of oven-drying method on the *Kappaphycus alvarezii sp.* seaweed powder quality compare to the conventional method, which is sun-drying, with a complete characterization were analyzed and discussed. For both drying methods, the moisture content and mineral content after the formation of *Kappaphycus alvarezii sp.* seaweed powder have been further determined and evaluated using the moisture content analysis and mineral analysis. In addition, the surface morphology of the dried samples of *Kappaphycus alvarezii sp.* seaweed for both drying method also has been analyzed by using Scanning Electron Microscope.

1.2 Problem Statement

This study emphasises the preparation and the characterization of *Kappaphycus alvarezii sp.* seaweed powder on how different drying method, which are sun-drying and oven-drying method would affect the seaweed powder. Seaweed contains natural minerals and antioxidants which contribute significantly in retaining the quality of food as well as protecting the health of the body (Sehwag and Das, 2013). To produce a seaweed powder, there are several processes involved starting with the cleaning the seaweed, soaking process, cutting process, drying process and lastly is grinding process. Drying process is a major process that might affects the moisture content and mineral content in the seaweed.

There are several drawbacks on the drying process of seaweed using conventional methods, which is sun-drying method. In order to produce a quality seaweed powder, the quality characteristics such as minerals should be maintained as much as possible after going through the drying process. The sun-drying method is carried out in an open environment, which may degrade the quality of the food. It is due to exposure to contamination of dirt and dust, infestation of insects, direct overheating of exposure, long drying duration and low heat transmission rates (Naseer Ahmed *et al.*, 2013). In addition, sun-drying method offers the drying process using the sunlight. Meaning that this method relying 100% on the weather condition. Since the weather is uncontrollable, the

temperature could vary significantly and be unpredictable. This will lead the food to dry slowly and increase the risk of contaminating the food.

To provide high demand and huge potential market of *Kappaphycus alvarezii sp.* seaweed powder, it needs to maintain the quality of the seaweed powder as well as speed up the drying process. Therefore, to overcome the limitations of conventional drying method, the method of oven-drying was conducted in this study. By conducting oven-drying method, many problems encountered during the implementation of the sun drying process can be fixed. Oven-drying method offer fixed and consistent temperature, short duration of drying and protect seaweed from outside contamination. Moreover, based on Çoklar and Akbulu’s (2017) study on black grapes, oven-dried sample indicates a lower loss of antioxidant activity compared to sun-dried sample. It follows that the minerals will exhibit the same results. In fact, some of the antioxidants are minerals as well such as zinc, copper and manganese (Muhammad *et al.*, 2012). Other than that, fixed and higher temperature of oven-drying will provide faster duration to achieve the suitable moisture content. With low mineral content loss and quickly to achieve perfect moisture content, oven-drying method will produce the higher quality of *Kappaphycus alvarezii sp.* seaweed powder compared to sun-drying method. Figure 1.1 shows the summarization of problem statement and research gap of seaweed powder.

<p>Market Issue</p> <ul style="list-style-type: none"> ■ To provide high demand and huge potential market of seaweed powder, it needs to maintain the quality of the seaweed powder as well as speed up the drying process. As the drying duration decrease, the production of seaweed powder increase. ■ To maximize the application of seaweed in any field, especially in food pharmaceutical products. 	<p>Limitation</p> <ul style="list-style-type: none"> ■ The use of conventional drying process method which is sun-drying process. ■ Nowadays, not so many researchers study about how drying methods and drying duration affected the quality and mineral content value of the seaweed, specifically <i>Kappaphycus alvarezii sp.</i>
---	--




Figure 1.1: The summarization of problem statement and research gap

1.3 Objectives

1. To prepare the *Kappaphycus alvarezii sp.* seaweed powder by focusing on different drying method specifically the method of oven and sun-drying based on the drying duration as parameter.
2. To determine the moisture content and mineral content of the *Kappaphycus alvarezii sp.* seaweed after drying treatment using Moisture Content Analysis and Mineral Analysis.
3. To characterize the surface morphology and structure of *Kappaphycus alvarezii sp.* seaweed by using Scanning Electron Microscopy (SEM) Analysis.

1.4 Research Scopes

This study concentrates on the drying process of *Kappaphycus alvarezii sp.* seaweed in order to form the seaweed powder by utilizing different drying methods based on the drying duration to investigate the effect of drying process on the quality of the seaweed powder. The main purpose is to determine the optimum duration for the oven-drying method in order to replace the sun-drying method based on the moisture content and mineral content of the *Kappaphycus alvarezii sp.* seaweed powder and surface structure of the dried *Kappaphycus alvarezii sp.* Seaweed. The research was carried out on the basis of a variety of scopes in order to perform out this study.

In this research study, the first objective is to prepare the *Kappaphycus alvarezii sp.* seaweed powder by focusing on different drying method specifically the method of oven and sun-drying based on the drying duration as parameter. The drying methods involved are sun-drying and oven-drying methods. This drying process was carried out based on the predetermined parameter, which is under a different drying duration. The second objective is to determine the moisture content and mineral content of the *Kappaphycus alvarezii sp.* seaweed after going through the drying treatment. In order to achieve this objective, moisture content analysis and mineral analysis were performed.

The purpose of doing moisture content analysis is to study the amount of water in *Kappaphycus alvarezii sp.* seaweed powder after going through all the processes in the formation of seaweed powder. Mineral analysis is to study the mineral content value that remain in the seaweed powder after going through the processes to form the seaweed powder. However, due to Covid19's pandemic constraint, the mineral analysis study was conducted through postulating the critical review analysis. The last objective is to characterize the surface morphology and structure of the *Kappaphycus alvarezii sp.* seaweed. To accomplish this final objective, Scanning Electron Microscopy (SEM) analysis was performed to study the surface morphology and structure of *Kappaphycus alvarezii sp.* seaweed after the drying process. Figure 1.2 shows the mapping matrix for the scopes and objectives.




Figure 1.2: The mapping matrix of the scopes and objectives

1.5 Significant of Research

Seaweed has a high nutritional value such as protein, vitamin and mineral content that can be beneficial to the human body. Apart from using it in human products, seaweed has also been used in pet food due to its high mineral and nutritional value. (Kumar *et al.*, 2014). Minerals are elements of chemical that are needed for proper metabolic activity. Some minerals are required by human's body system to work effectively, and they can

have an impact on various aspects of human health, such as overweight (Munoz and Dias, 2020). Besides, the consumption of certain minerals is also linked to better cardiovascular system. Undoubtedly, it has been proposed that adequate mineral consumption may lower blood pressure by acting as a calcium antagonist on smooth muscle tone, resulting in vasorelaxation (Circuncisao *et al.*, 2018). In addition, seaweed's mineral content could be in the range from 10 to 100 times greater than those of land vegetables.

Limited comprehensive studies on the impact of drying methods on the quality of seaweed powder have been conducted so far. Most research uses conventional drying methods due to their availability, convenience and does not require high expertise and expense. By using sun-drying methods, low-quality seaweed powder will be formed as a result of the loss of too many nutrients and minerals. Consumers would not benefit from the lack of these many nutrients and minerals that they deserved.

In addition, this research study proposed the solution to the issue that arises from the conventional drying method. Instead of offering the consumers low quality of seaweed products, it provides a higher quality of seaweed products in a short period of time. It is claimed by Coklar and Akbulut (2017) that oven-drying also results in loss of minerals and antioxidants but not as much as the conventional drying method. Moreover, this method seems to be the perfect alternatives to the conventional method as it also does not require high expertise and cost compare to other methods such as freeze drying (Badmus *et al.*, 2019) (Coklar and Akbulut, 2017). Finally, this oven-drying method could reduce the loss of minerals and produce a more beneficial product to the consumers.