

**DESIGN OF BURGLAR ALARM SYSTEM FOR
HOME SECURITY**

MUHAMMAD RAZAK BIN ABDUL KARIM

MAY 2009

**DESIGN OF BURGLAR ALARM SYSTEM FOR HOME
SECURITY**

MUHAMMAD RAZAK BIN ABDUL KARIM

**A Project Report Submitted In Partial Fulfilment Of The Requirements For Awarding The Degree
Of Bachelor Of Electrical Engineering
(Industrial Power)”**

**Fakulti Kejuruteraan Elektrik
Universiti Teknikal Malaysia Melaka (UTeM)**

MAY 2009

“I hereby declared that I have read through this report and found that it has comply the partial fulfillment for awarding the degree of Bachelor of Electrical Engineering (Industrial Power)”

Signature :

Supervisor's Name : P. M. Dr. Musse Mohamud Ahmed

Date :

“Saya akui bahawa saya telah membaca karya ini pada pandangan saya karya ini adalah memadai dari skop dan kualiti untuk tujuan penanugerahan Ijazah Sarjana Muda Kejuruteraan Elektrik (Kuasa Industri).”

Tandatangan :

Nama Penyelia : P. M. Dr. Musse Mohamud Ahmed

Tarikh :

“I hereby declared that this report is a result of my own work except for the excepts that
have been cited clearly in the references”

Signature :

Name : Muhammad Razak Bin Abdul Karim

Matrix Number : B010510167

Date : 13 / 05 / 2009

“Saya akui laporan ini adalah hasil kerja saya sendiri kecuali ringkasan dan petikan yang tiap-tiap satunya saya jelaskan sumbernya.”

Tandatangan :

Nama : Muhammad Razak Bin Abdul Karim

No. Matrik : B010510167

Tarikh : 13 / 05 / 2009

For my beloved father and mother

Abdul Karim Bin Mohamed Sultan and Faridah Binti Mat Noh

For all supported and understanding.

ACKNOWLEDGEMENTS

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

In the name of Allah, The Beneficent, The Merciful.

Alhamdulillah, all praise is to Allah that I have been able to complete my report for my “Projek Sarjana Muda 2” that is Design of Burglar Alarm System for Home Security.

Successfully completing of this project would not have been possible without the tremendous amount of time, assistance, and understanding of the people in my university life and my personal life. I would like to acknowledge my Honor’s supervisor, Associate Professor Dr. Musse Mohamud Ahmed, whose guidance and expertise was essential to the project. A very big thank you must also go to my family, especially my parents; my father Abdul Karim Bin Mohamed Sultan and my mother Faridah Binti Mat Noh for the infinite ways in which they have supported my studies all this year. To all my friends and fellow BEKP classmates thanks for your support and knowledge that have helped me in the project. Finally, thanks are also due to the FKE technicians and also all the lecturers who helped and gave their brilliant ideas and also for the kind of giving me to use the equipments in the FKE laboratory. Thanks also to both of my panel for their building comments and suggestions to improve and upgrade my project. Last but not list to all the people who gave their knowledge that was crucial to the project.

ABSTRACT

Propose of this project is to design a home security system with alarm system. This project was designed to secure at the residential and commercial areas. It was concerned about alarm system that will detect the intruder. As we know, nowadays there are a lot of robberies cases happen in everywhere. This is because of the lack of effective security system of their homes and premises. So, to solve this problem the Burglar Alarm System for Home Security is the good way to resolve. The project design includes the control circuit that uses to control all of the operations in the circuit. It has an integrated circuit (IC) that acts as control centre in the circuit. The IC will receive the signal from the sensor mechanism and then the relay will function to operate an alarm. To produce this security system, the better and good sensor is important because it will effect the circuit operation. Besides that, the quality of the components also must be ideal to make the circuit run smoothly. Finally, this project can be applied to improve home security system and the resident life will be protected

ABSTRAK

Tujuan projek ini dijalankan adalah untuk menyediakan suatu sistem keselamatan rumah dengan menggunakan system penggera. Projek ini dihasilkan adalah untuk memastikan keadaan kawasan rumah berada dalam keadaan selamat untuk dihuni. Ianya lebih menitikberatkan terhadap penggunaan sistem penggera yang digunakan untuk mengesan sebarang pencerobohan. Sepertimana yang kita ketahui, sekarang ini terdapat banyak kes pencerobohan di setiap rumah. Hal ini mungkin disebabkan oleh kelemahan sistem keselamatan rumah tersebut. Oleh itu, bagi mengatasi masalah ini penghasilan „Burglar Alarm System for home security“ merupakan langkah terbaik dalam mencari jalan penyelesaian. Di dalam projek ini, ianya mengandungi litar kawalan yang mana ianya digunakan untuk mengawal secara keseluruhan pergerakan dan penghasilan keputusan yang berlaku di dalam litar. Ianya mengandungi IC yang akan bertindak sebagai pusat kawalan di dalam litar. Apabila terdapat sebarang isyarat yang dihasilkan daripada mekanisma sensor, IC akan memperolehnya terlebih dahulu sebelum dihantar kepada penggera untuk berfungsi. Bagi menghasilkan system keselamatan penggera ini, penggunaan dan pemilihan sensor amat penting kerana ianya akan mempengaruhi operasi litar tersebut. Selain itu, komponen yang berkualiti perlu digunakan supaya operasi litar berjalan dengan lancar. Akhir sekali, dengan penghasilan projek ini, ianya akan dapat diaplikasi untuk menjamin keselamatan rumah dan penghuninya akan hidup dalam keadaan tenang dan aman tanpa sebarang gangguan.

CONTENTS

CHAPTER	TITLE	PAGE
	TITLE	i
	ACKNOWLEDGEMENTS	v
	ABSTRACT	vi
	ABSTRAK	vii
	CONTENTS	viii
	LIST OF FIGURES	xii
	LIST OF TABLES	xv
	LIST OF ABBREVIATIONS	xvi
	LIST OF APPENDICES	xvii

1	INTRODUCTION	
1.1	Project Overview	1
1.2	Objective Project	2
1.3	Problem Statement	2
1.4	Project Scope	3
1.5	Thesis Outline	4
2	LITERATUTE REVIEW	
2.1	Introduction	6
2.2	Simple Home Security Monitoring	6
	2.2.1 Circuit Description	7
2.3	Simple Home Alarm	8
	2.3.1 Circuit Description	8
2.4	Differential of Burglar Alarm System, Simple Home Alarm, Simple Home Security Monitoring	9
2.5	Conclusion	10
3	METHODOLOGY	
3.1	Project Methodology	11
4	THEORY ON THIS PROJECT	
4.1	The Security Word	14
4.2	The Burglar Alarm System	14
4.3	Relay Theory	15
	4.3.1 Operation of Relay	15
	4.3.2 Coil and Other Inductive Loads	16
4.4	Voltage Drop	17
	4.4.1 Determination of Voltage Drop	17

4.5	The Introduction of IC 555 and IC 556	18
4.5.1	The Features of IC 556	20
4.5.2	Input of IC 555 and IC 556	21
4.5.3	Output of IC 555 and IC 556	21
4.5.4	The Concept of Astable	22
4.5.5	Astable Operation	23
4.5.6	Monostable Concept	24
4.5.7	Monostable Operation	25
4.5.8	Power-on Reset or Trigger	26
4.5.9	Bistable Concept – A Memory Circuit	26
4.5.10	Inverting Buffer (Scemitt trigger) or NOT gate	27
4.6	Overall Concept of Circuit Theory	28

5 **HARDWARE DEVELOPMENT**

5.1	The DC Main Circuit	32
5.2	Regulator Supply Circuit	33
5.2.1	Voltage Regulator Introduction	33
5.2.2	IC Voltage Regulator	33
5.2.3	Three Terminal Voltage Regulator	33
5.2.4	Fixed Positive Voltage Regulator	34
5.3	Control Circuit using IC 556	35
5.3.1	Input of IC 555 and IC 556	36
5.3.2	Output of IC 555 and IC 556	37
5.4	Alarm Circuit	38
5.5	House Model	40
5.6	Hardware Testing	43

6	RESULTS AND DISCUSSION	
6.1	Result	44
6.2	Experimental result	44
6.3	Light Dependent Resistor Sensor (LDR)	45
6.3.1	Sensitivity	45
6.4	Source (Battery)	48
6.5	Voltage Regulator	49
6.6	Voltage Trigger	49
6.7	Transistor As A Switch	55
6.8	The Result During Testing Alarm System	57
6.9	Discussion	59
7	CONCLUSION AND RECOMMENDATION	
7.1	Conclusion	61
7.2	Recommendation	62
	REFERENCES	63

LIST OF FIGURES

NO	TITLE	PAGE
Figure 2.1	Simple Home Security Monitoring Schematic Diagram	7
Figure 2.2	Simple Home Alarm Schematic Diagram	9
Figure 3.1	The methodology of load flow	11
Figure 4.1	Relay providing isolation between two circuit	15
Figure 4.2	The mechanical operation of relay in off condition	16
Figure 4.3	The mechanical operation of relay in on condition	16
Figure 4.4	Relay and protection diode	17
Figure 4.5	Actual pin arrangements of NE555 timer	18
Figure 4.6	Actual pin arrangements of NE556 timer	18
Figure 4.7	The circuit in 555 timer	19
Figure 4.8	The circuit in 556 timer	19
Figure 4.9	The 555 astable output, a square wave	22
Figure 4.10	The 555 astable circuit	23
Figure 4.11	Astable operation graph output	24
Figure 4.12	The 555 monostable output, a single pulse	24
Figure 4.13	The 555 monostable circuit with manual triggers	24
Figure 4.14	Monostable operation graph output	25
Figure 4.15	Power-on reset or triggers circuit	26
Figure 4.16	The 555 bistable circuit	27
Figure 4.17	The 555 inverting buffer circuit	28
Figure 4.18	Circuit Diagram of Alarm System	29
Figure 5.1	Voltage DC waveform	32
Figure 5.2	Schematic diagram	33
Figure 5.3	Connection diagram of voltage regulator	34
Figure 5.4	Diagram of voltage regulator	34

Figure 5.5	Regulator supply circuit	35
Figure 5.6	Regulator Supply Circuit using Multisim	35
Figure 5.7	Actual pin arrangements of NE556 timer	37
Figure 5.8	The control circuit	37
Figure 5.9	The control circuit using Multisim	38
Figure 5.10	Alarm indicator circuit	38
Figure 5.11	Alarm indicator circuit using Multisim	39
Figure 5.12	Full circuit of project	39
Figure 5.13	Full circuit of project using Multisim	39
Figure 5.14	Foundation of the house	40
Figure 5.15	In front of house	40
Figure 5.16	The back of the house	41
Figure 5.17	The side view	41
Figure 5.18	The upper plan of the house model	41
Figure 5.19	The side plan of the house model	42
Figure 5.20	The in front plan of the house model	42
Figure 5.21	The back side plan of house model	42
Figure 6.1	Light Dependent Resistor	45
Figure 6.2	Resistance as a Function of Illumination	46
Figure 6.3	The place of LDR2	46
Figure 6.4	The place of LDR1	47
Figure 6.5	Voltage output of battery	48
Figure 6.6	Voltage output voltage regulator	49
Figure 6.7	555 pin out	50
Figure 6.8	Initial voltage at trigger 1	51
Figure 6.9	Voltage changing at trigger 1	51
Figure 6.10	Initial voltage at output 1	52
Figure 6.11	Voltage changing at output 1	52
Figure 6.12	Initial voltage at trigger 2	53
Figure 6.13	Changing voltage at trigger 2	53
Figure 6.14	Initial voltage at output 2	54

Figure 6.15	Changing voltage at output 2	54
Figure 6.16	Transistor switching circuit	55
Figure 6.17	Off State of NPN	56
Figure 6.18	Fully On State of NPN	56
Figure 6.19	The system in normal condition	57
Figure 6.20	The system when the door and windows open	57
Figure 6.21	The system when the LDR1 detect the light	57
Figure 6.22	The system when LDR2 detect the shadow	58
Figure 6.23	The system when step detector active	58

LIST OF TABLES

NO	TITLE	PAGE
Table 5.1	The list of circuit components	31
Table 5.2	Positive voltage regulators in the 7806 series	35
Table 6.1	Laser intensity with the resistance of LDR2	47
Table 6.2	Torchlight intensity with the resistance of LDR1	48

LIST OF ABBREVIATIONS

AC	Alternating Current
DC	Direct Current
LDR	Light Dependent Resistor
NC	Normally Close
NO	Normally Open
IC	Integrated Circuit

LIST OF APPENDIX

NO	TITLE	PAGE
APPENDIX A	Datasheet	65
APPENDIX B	Project Planning	77

CHAPTER 1

INTRODUCTION

1.1 Project Overview

The main objective of this project is to design Burglar Alarm System for Home Security. For this system, the alarm will be switched on under the following different conditions. First, when light falls on the LDR1 (at back door of the premises). Secondly, when laser that focus on LDR2 is obstructed from the intruder's shadow. Third is, the alarm will operate when the door, windows and step detector that acts as a switch is open.

This project is concerned about designing alarm system that detects the intruder. It is to control the system with Integrated circuit (IC) that is included in the circuit. IC will receive the signal from the sensors mechanism and then a relay will be energized to operate the alarm system. This project will be used IC NE 556. In addition, it will be used voltage regulator, sensors, alarm and other components.

Multisim software is used to test the connection of all components. In this project, the sensors mechanism will be related with the control circuit to produce a good result in the alarm system.

The circuit development also included during the implementation of this project, in this part the components is assembled and soldered into one circuit. Then, the result is obtained when the operation of circuit testing has been done. To make this project more interesting, the model of the house was built and the circuit was wired with it. In overall, from this system, it can make the homes more secure and more safely.

1.2 Objectives of the Project

The following objectives will be based as security system to protect the homes and residential premises:

- To detect an intrusion.
- To deter crime.
- To protect life and properties.
- To activate a warning device upon detection of an intrusion.
- To bring an appropriate response to the security emergency situations.
- To enhance the apprehension of criminals.

1.3 Problem Statement

Nowadays, the alarm system for home security is very important to every house because there are have a lot of robbery cases happen in everywhere. This alarm system actually can alert a resident from any intruder. It is important to safeguard the homes on everyday basis, especially when resident travels or away for certain period of time. So, before

making any travel, residents must make sure that their homes are safe to leave. That's why a security system was created to solve this problem. In another word, this system is an investment for the peace of the residents. The security means the life of the people is being protected against danger, loss, and criminals. In the general sense, security is a concept similar to [safety](#). So, when using this system, it will make the home and life of the residents more safe from any intruders.

1.4 Project Scope

- To study the better system for home security method.
- To design and simulate the circuit by using software Multisim.
- To do analysis and experiment on the circuit.
- To make the circuit operational.
- To make a full report.