



اونیورسیتی تکنیکا ملایسیا ملاک  
UNIVERSITI TEKNIKAL MALAYSIA MELAKA





UTeM

اوتنومر سیتی تیکنیکل ملیسیا ملاک

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



KELUAR



اوتنومر سبنيكل مليسيا ملا  
UNIVERSITI TEKNIKAL MALAYSIA MELAKA



ونیورسیتی تکنیکل ملیسیا ملاکا  
UNIVERSITI TEKNIKAL MALAYSIA MELAKA



اوتنومر سينيكنيكل مليسيا ملاك

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



LVD

LVD (Low Voltage Device)  
Maximum Voltage: 250V  
Maximum Current: 10A  
Maximum Power: 2500W  
Maximum Temperature: 50°C  
Maximum Humidity: 80%  
Maximum Altitude: 1000m  
Maximum Weight: 10kg  
Maximum Length: 100cm  
Maximum Width: 10cm  
Maximum Height: 10cm  
Maximum Depth: 10cm  
Maximum Thickness: 10mm  
Maximum Diameter: 10mm  
Maximum Radius: 10mm  
Maximum Area: 100cm²  
Maximum Volume: 1000cm³  
Maximum Mass: 10kg  
Maximum Density: 1000kg/m³  
Maximum Specific Heat Capacity: 1000J/kg·K  
Maximum Thermal Conductivity: 10W/m·K  
Maximum Thermal Expansion Coefficient: 10K⁻¹  
Maximum Thermal Shrinkage Coefficient: 10K⁻¹  
Maximum Thermal Stability: 10K  
Maximum Thermal Shock Resistance: 10K  
Maximum Thermal Fatigue Resistance: 10K  
Maximum Thermal Aging Resistance: 10K  
Maximum Thermal Degradation Resistance: 10K  
Maximum Thermal Oxidation Resistance: 10K  
Maximum Thermal Corrosion Resistance: 10K  
Maximum Thermal Erosion Resistance: 10K  
Maximum Thermal Abrasion Resistance: 10K  
Maximum Thermal Impact Resistance: 10K  
Maximum Thermal Compression Resistance: 10K  
Maximum Thermal Tension Resistance: 10K  
Maximum Thermal Shear Resistance: 10K  
Maximum Thermal Torsion Resistance: 10K  
Maximum Thermal Bending Resistance: 10K  
Maximum Thermal Twisting Resistance: 10K  
Maximum Thermal Vibration Resistance: 10K  
Maximum Thermal Shock Resistance: 10K  
Maximum Thermal Fatigue Resistance: 10K  
Maximum Thermal Aging Resistance: 10K  
Maximum Thermal Degradation Resistance: 10K  
Maximum Thermal Oxidation Resistance: 10K  
Maximum Thermal Corrosion Resistance: 10K  
Maximum Thermal Erosion Resistance: 10K  
Maximum Thermal Abrasion Resistance: 10K  
Maximum Thermal Impact Resistance: 10K  
Maximum Thermal Compression Resistance: 10K  
Maximum Thermal Tension Resistance: 10K  
Maximum Thermal Shear Resistance: 10K  
Maximum Thermal Torsion Resistance: 10K  
Maximum Thermal Bending Resistance: 10K  
Maximum Thermal Twisting Resistance: 10K  
Maximum Thermal Vibration Resistance: 10K



UTeM

اونيورسيتي تېكنيڪل ملائيا

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



LASER  
CUTTING  
MACHINE



UTeM

ഓനിവേഴ്സിറ്റി ടെക്നിക്കൽ മലേഷ്യ മലാകാ

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



اونیورسیتی تکنیکل ملیسیا ملاک

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



KELUAR



اونیورسیتی تکنیکل ملیسیا ملاک

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



UNIVERSITI TEKNIKAL MALAYSIA



AL SCIENCE

T7081



UTM

اونيورسيتي تېكنيكل مليسيا ملاكا

UNIVERSITI TEKNIKAL MALAYSIA MELAKA





اونیورسیتی تکنیکل ملیسیا ملاک

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



وینورسیتی ٲیٲکنیکل ملیسیا ملاک

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



UTeM

اونیورسیتی تیکنیکل ملیسیا ملاک

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



وینومرستی تیکنیکل ملیسیا ملاک

UNIVERSITI TEKNIKAL MALAYSIA MELAKA

CREATIVE  
ELECTRONICS SEMINAR

HAT DATANG / WELCOME



اونيورسيتي تيكنيكل مليسيا ملاك

UNIVERSITI TEKNIKAL MALAYSIA MELAKA





اونیورسیتی تکنیکل ملیسیا ملاک  
UNIVERSITI TEKNIKAL MALAYSIA MELAKA

CREATIVE

SELAMAT DATANG / WELCOME



وینورسیتی تکنیکل مالیزیا ملاک

UNIVERSITI TEKNIKAL MALAYSIA MELAKA



اویورشی تیکنیکل ملیسا ملاک

UNIVERSITI TEKNIKAL MALAYSIA MELAKA